Titcomb Pit Landfill - Approval Package Acceptance Checklist

~ Please RETURN this check list with applicable approval package ~

Facility Name: Titcomb Pit Landfill

Title: Project Manager

City/Town: Amesbury MA

Type of Facility: Landfill/Grading & Shaping

Contact Person: Mr. Jon Simpson
Street: 23 Martin Road South
Telephone#: 857-246-6800 x 201

MADEP CAD Approval #: W102250

*Email Approval Package to jsimpson@charterenvironmental.com

<u>Circle One</u> and if no explain below

1.	Laboratory Testing performed every 500 cubic yards.	Yes	1	No
2.	LSP Opinion that soil complies with DEP COMM-97-001.	Yes	1	No
3.	Contaminated Soil lab analytical complies with DEP COMM-97-001.	Yes	/	No
4.	Contaminated Soil other data complies with DEP COMM-97-001.	Yes	1	No
5.	VOC Sample(s) were discrete samples that adhere to EPA Method 5035	Yes	/	No
6.	Composite samples consist of at least 5 grab samples	Yes	/	No
7.	Quantity of Contaminated Soil is provided.	Yes	/	No
8.	Description of source, type of release, and contaminants provided.	Yes	/	No
9.	Description of current and former site usage/history is provided.	Yes	1	No
10.	Chemical composition including laboratory data is provided.	Yes	1	No
11.	Field screening data used to support chemical composition provided.	Yes	/	No
12.	LSP statement that it is not a listed or characteristic hazardous waste.	Yes	/	No
13.	Soil physical description & classification method used is provided.	Yes	/	No
14.	Site sampling plan is provided.	Yes	/	No
15.	Data put into table form comparing results to MA Landfill Criteria	Yes	/	No
16.	Is Conductivity addressed	Yes	/	No
17.	Deviations from the QA/QC acceptance criteria are adequately explained.	Yes	/	No
18.	Chain of Custody provided and chain has been verified to not be broken.	Yes	/	No
19.	Signed & Stamped MSR or BOL is provided.	Yes	/	No
COMMENTS:				

The LSP Opinion Letter provided with this soils package needs to also discuss in DETAIL any item above for which "No" has been circled.